



Spa park in Jastrzębie - Zdrój

Accessibility card

Basic information

 Jastrzębie-Zdrój, ul. Witczaka, 44-335
GPS: N 49.94995, E 18.56913

 +48 32 47 85 151
*(Culture, Sport and Tourism Department
of the Jastrzębie-Zdrój Municipality)*

 kst@um.jastrzebie.pl
 <https://www.jastrzebie.pl/>

Description

The Spa park is a public town park in Zdrój between 1. Maja and Witczaka streets. It was founded in the second half of the 19th century and was the key point of the Jastrzębie Sanatorium. Many objects of the sanatorium have been preserved in the park to this day as well as monuments and tourist attractions. Currently, the park has a cultural, educational and entertainment function.

A hiking trail passes through the park. It is an easy walking route with a length of 1.8 km. It is best to start the tour in the middle of the park, where the Szwajcarka Spa House (Switzerland) is located - the first spa building in the park, an Ancient spring drinking hall and an inhalatorium where you can relax and inhale the medicinal brine with a spray fountain. In the park you can also see the Church of the Sacred Heart of Jesus. There is also a historic building of a former children's hospital. Within the boundary of the park there is an outdoor gym, children's play areas or benches for resting near the water. We recommend to finish the route by returning to the main part of the park by the fountain and music pavilion (concert shells).

The spa park boasts a wealth of imported plant species. In an area of about 18 hectares there are over 70 species of trees and shrubs.



Historical objects in the park

Accessibility

Entrance


- ❖ There are several entrances to the park. The entrance from the parking (ul. M. Witczaka) is wheelchair accessible and is wide min. 80 cm.
- ❖ The entrance to the inhalatorium: next to the entrance is a ramp, the entrance door is min. 80 cm wide, the threshold in the entrance door is max. 2 cm high.

Interior premises – Inhalatorium

- ❖ All pathways in the building are min. 150 cm wide.
- ❖ Doors and passages are min. 80 cm wide.
- ❖ The surface of the communication paths is firm and non-slippery.
- ❖ The thresholds are not higher than 2 cm on pathways.
- ❖ In the premises there are seating areas.
- ❖ In the premises there is sufficient area for the movement of persons in a wheelchair (wheelchair rotation) and a pram.
- ❖ The information panels (containing information about the object itself, its history, and the health effects of brine inhalation) are positioned so that they are clearly visible from both sitting and standing position.

Exterior premises

- ❖ The surface of the routes is firm and level (without defects). Material: granite tiles, paving stones, asphalt.
- ❖ Outdoor routes are min. 150 cm wide.
- ❖ Route profile: Flat to slightly undulating terrain (with a longitudinal slope of up to 6%), it does not significantly hinder the movement of persons in a wheelchair or a pram.
- ❖ There are stairs on the route, but beside them there is a ramp with a very slight slope - it extends the route by about 20 m as it runs along a gentle slope (park behind Dąbrówka).
- ❖ There are information and orientation signs on the route in Polish, they are easy to read and understand.
- ❖ There are seating places for resting.
- ❖ In the park there are gastronomic facilities and a summer house with wheelchair access.






From left: entrance to the inhalatorium, main promenade, pathways

Accessible toilet

- ❖ The park has min. one wheelchair accessible toilet. (Behind Inhalatorium, a park path with a slight slope leads to it.)
- ❖ Cabin entrance door is min. 80 cm wide and it opens outwards.
- ❖ The cabin has dimensions of min. 160x160 cm.
- ❖ Next to the toilet there is a free space for a wheelchair (at least 90 cm wide), which does not interfere with any equipment (waste bin, sink, baby changing unit, etc.).
- ❖ There are handles on both sides of the toilet.
- ❖ A baby changing table is available.



Services and equipment

- ❖ The park is open all year round and is accessible without limits.
- ❖ Guide and registered support dogs are permitted entry.
- ❖ Playground available.
- ❖ Children's corner is situated in the inhalatorium.
- ❖ Reserved parking places at the spa house.

Date of processing: 3/2019