

Niemodlin Castle

Accessibility card

Basic information

📍 Niemodlin, ul. Rynek 55, 49-100
GPS: N 50.641945, E 17.623096


☎ +48 608 090 840

✉ zamek@aia.pl

🌐 <http://niemodlinzamek.pl/>

Description

The castle with its rich history and legends offers guided tours of the premises - it takes about an hour. During the visit, tourists will see: the underground of the castle (crypts, tunnels), which also has an exhibition of icons and torture chamber, a chapel, a music room, a ballroom and a replica amber chamber (as it probably looked). Night tours and thematic tours with knights are also organized. For schools and excursions the castle organizes ceramic workshops or decorating gingerbread. There is a possibility of organizing a campfire. Due to the revitalization of the building, the tour route may change.



Accessibility

Entrance

- ❖ The entrance to the castle premises and the castle building is wheelchair accessible.
- ❖ Entrance doors are min. 80 cm wide.
- ❖ The threshold in the entrance door is max. 2 cm high.
- ❖ The ticket office is located in the entrance gate. There is one step at the entrance (height 15 cm). *There is a plan to build a new, wheelchair accessible reception (2019/2020).*



Interior premises – castle building

- ❖ All pathways in the building are min. 150 cm wide.
- ❖ Doors and passages are min. 80 cm wide.
- ❖ The surface of the pathways is firm and non-slippery. Material: concrete, wood, tiles.
- ❖ There are stairs / thresholds higher than 2 cm in the building. The tours are accessible to 3 floors - cellar (12 steps), ground floor (3 steps) and first floor (26 steps). There is no lift.
- ❖ In the part of the castle there are resting places for sitting - armchairs.
- ❖ There is sufficient space in the premises.
- ❖ There are no exhibits in the building, except the exhibition of icons and torture chamber underground. The exhibits cannot be touched. Touch models of exhibits are not available. *In 2019, the collection of icons will be expanded and the armoury will be accessible to tourists.*
- ❖ The labels of the exhibits are easy to read even for visually impaired people (sufficiently large font, simple font, good contrast of text and background).




Interior premises – castle garden, courtyard, castle bridge

- ❖ Outdoor entrance is wheelchair accessible, min. 80 cm wide.
- ❖ Communication paths are min. 150 cm wide. Surface: grassy garden. There are also roads with gravel surface. *Plans (2019) include the construction of roads with a mineral surface.* There are stairs in the area.
- ❖ The terrain of the outdoor areas is flat to slightly undulating (with a slope of up to 6%).
- ❖ Outside, there are information and orientation signs that are easy to read and understand. The information is in Polish, English and German.
- ❖ There are outdoor seating places for resting.



Accessible toilet

- ❖ There is only a non-disabled toilet available. *However, as part of the revitalization of the castle (2019/2020), a social facility for people with disabilities will be created.*
- ❖ The cabin door is min. 80 cm wide, opening outwards (from the cabin).
- ❖ The cabin size is 90 x 90 cm.
- ❖ A baby changing unit is not available.



Services and equipment

- ❖ V In the premises of the castle there are: gastronomic facilities (wheelchair access) and a souvenir shop (step 15 cm high). *The plan is to build a new reception with a shop with wheelchair access (2019/2020).*
- ❖ A visit to the castle is possible without a prior arrangement. Reservations are required for groups and foreign language tours.
- ❖ Guide and registered support dogs are permitted entry.
- ❖ An outdoor children's play area is available during the season.
- ❖ There are available special programs / information materials for children. There is a book of tasks for children related to the history of the castle and also some coloring books.
- ❖ There is a parking with reserved parking places at the entrance.
- ❖ Tours are guided in Polish. Guided tours in English, German, Czech and Ukrainian must be booked in advance.
- ❖ Induction loops are not installed in the object.
- ❖ A printed guide is not available in Polish.

- ❖ A map / prospectus of the building is available for individual foreign visitors in English and German.

Date of processing: 4/2019